



ReForest Now
Growing Rainforest Together

ENRICHMENT REPORT


2025

12, 000 diverse trees for 2025
100 000 AUD committed

FAME

*Prepared by **Maximo
Bottaro**
Edited by **Sutadewa**
on behalf of
ReForest Now*





ENRICHMENT PROGRAM

YEAR 2 REPORT SUMMARY

The Enrichment Program continues to become more streamlined and is highly sought after by many of our 156 landholder partners.

FAME and ReForest Now have realised an important part of the conservation landscape in Australia by focusing on the depth and quality of ecosystems, not only to plant bulk trees or target carbon outcomes.

We are proud to have completed a full second year and believe this program should be spread to all our landholder partners over time.

The results? We can see tree diversity more akin to a forest reserve, spread in pockets throughout the landscape, the re-integration of ecological functions at the landscape level evident with mass fauna species return.

Over time the enrichment effect is incredible, pollinators return, their natural predators follow, bats, birds and others. Ecological restitching can simply be supported by giving as many appropriate floras as possible and letting nature do the rest.

Please enjoy the report.



PLANTING OUTCOMES

DATE	LOCATION	TREES	NEW SPECIES ADDED
June 25, 2025	1101 the Pocket Rd Main Arm NSW	984	85
June 27, 2025	446 Old Byron Bay Rd Newrybar NSW	1071	88
July 4, 2025	11 Crabbes Rd Crabbes Creek NSW	1404	88
July 11, 2025	113 stewarts Rd Clunes NSW	1501	81
July 18, 2025	268 Tyalgum Rd Eungella NSW	1000	71
30 Oct 2025	60 Black Bean Rd Wilsons Creek NSW	1,465	117
19 Nov 2025	326 Rosebank Rd Rosebank NSW	1,580	139
Dec 12 2025	326 Rosebank Rd Rosebank NSW	1793	139
Dec 18 2025	326 Rosebank Rd Rosebank NSW	1642	139



**12,440 NEW
TREES PLANTED**



1101 THE POCKET RD JUNE 25

984 trees planted, and 85 species. One of Reforest now's longest partnerships, this property has several ecotones ranging from rainforest to dry sclerophyll due to the steep terrain and multiple directional aspects. This allows for a significant amount of biodiversity in plant and animal life across the planted zones.

Prior to regeneration works, the property was prone to erosion damage and land slips, with invasive species under control and many native trees and grasses planted in the most at risk areas, along with natural expansion on ground covers endemic the the area, the property is starting to recover strongly.

A small clearing of relatively rare native grasses was also located near the centre of the forest identified, the owners were so grateful for the work being done they named this clearing after the regeneration manager Luka.

This is an example of a success project with long term consistent engagement.



53 before

129 after

243% increase in diversity





446 OLD BYRON BAY RD JUNE 27

1071 trees planted, 88 species utilised. This forest runs along Midgen flat road in Newrybar and is home to three natural springs, each running through a separate course down to the lake at the bottom of the property.

One of these springs is located in the centre of the main body of the forest that has been regenerated and enriched by this project.

These wet riparian spaces provide a lush habitat for insect and frog species, common eastern froglet and spotted grass frog have been known to populate the Newrybar region.



25 before
109 after

436% increase in diversity

THREATENED SPECIES

Acacia bakeri V

Diplogottis campbellii E

Archidendron hendersonii V

Davidsonia jerseyana E

Gossia fragrantissima E

Syzygium moorei V

Fighting a landscape level takeover by camphor laurel, this planting contained many known species that can replace camphors from underneath. This was a sound location to create a hub of stability. Later, we will complete much more much regen and camphor culling to let the native forest take control. The environment is in a labile and changeable state and consistent effort will yield exciting results.





11 CRABBES CREEK RD 4TH JULY

1404 trees were planted of 88 species. This site contains a relatively healthy Acacia forest, although limited invasives were present the biodiversity was drastically low, the combined efforts of regeneration and enrichment have remedied this problem and is already encouraging native wildlife to resettle the area after storm and flood damage recently.

Native pioneers were observed filling spaces opened by storm damage, enrichment has accelerated this process. The owner has notified Reforest Now that a lace monitor has taken up visiting the natural flow pool located on the property since regeneration works began, also Kookaburra families are now perching on the large eucalypts at the peak of the hills there, taking full advantage of the insect population booming from native plants flowering more by multitudes.

THREATENED SPECIES

We planted the following threatened species here:

- Acacia bakeri** ✓
- Archidendron hendersonii** ✓
- Diploglottis campbellii** E
- Hicksbeachia pinnatifolia** ✓
- Lepiderema pulchella** ✓
- Macadamia tetraphylla** ✓
- Syzygium hodgkinsoniae** ✓
- Syzygium moorei** ✓



29 before

108 after

372% increase in diversity

The enrichment zone (above) was a condensed area within a much bigger forest. Species will naturally spread throughout into the appropriate niche opportunities within the area over years.

113 STEWARTS RD CLUES 11TH JULY



1501 trees were planted of 81 species. This round of enrichment was employed to enrich more areas within some of the larger forests. We selected and supplemented with trees funded by FAME.

Several Long nose bandicoot burrows were located during the planting session, showing our works on site have had some effect on attracting wildlife. The Trident is a near 10 Ha remnant forest nestled in the centre of Banyula Farms property in Clunes, this creates a safe haven for local wildlife that inhabit the area, countless varieties of birds, marsupials, rodents and macropods now use the trident as a hope now the invasive species of trees that once infested the space have been brought under control.



25 before
99 after

396% increase in diversity

(Right) demonstrates the relatively large area directly affected by this patch of enrichment, noting how far above the canopy this shot was taken.

THREATENED SPECIES

Davidsonia jerseyana E

Diploglottis campbelli E






268 TYALGUM RD JULY 18TH

1000 trees planted of 71 species.

This was an excellent candidate for enrichment with its many isolated forests, large creek and dam flowing through the centre of the site.

The enrichment filled the more open space inside the existing forests but more importantly, it created a wildlife corridor connecting said forests. We made special efforts to include some of our very hard to grow birdwing vines (two years minimum in the nursery) as we know there are birdwing butterflies here!



5 THREATENED SPECIES IN THIS PLANTING

Davidsonia jerseyana **E**

Diploglottis campbelli **E**

Lepiderima pulchella **V**

Pararistolochia praevenosa -

Birdwing Butterfly Vine



60 BLACK BEAN RD, 30TH OCTOBER

1465 trees planted, 117 species used.

The area is an ephemeral gully and creek line with a Bangalow Palm overstorey. There are some very steep slopes that need tough erosion-controlling plants like lomandra.

A few open grassy patches require fast-growing pioneer species. One active landslip on a north-facing slope has exposed red-brown clay and subsoil and needs dense infill planting to stabilise it. Soil is mostly red/brown clay, heavier on the slip. This enrichment site needs the work for environmental stabilisation as much as for diversity, making for a double outcome.

A few mature canopy species (*Guioa semiglauca*, *Malotus phillipensis*) as well as sections of established pioneer species provide areas of shade for us to add secondary, mature phase and understory trees and shrubs.

Diversity while at 34 species, was mostly of few pioneer and early secondary species with little chance of naturally developing into a high diversity forest. High species enrichment is needed to turn this good structure into a great forest.



Large and multiple zones added to this mixed status landscape. This is a long term partner in a truly beautiful place. The results will be wonderful.

5 THREATENED SPECIES IN THIS PLANTING

- Acacia bakeri** ✓
- Cupaniopsis newmanii** ✓
- Cupaniopsis parviflora** ✓
- Davidsonia jerseyana** E
- Diploglottis campbelli** E
- Flindersia bennettiana** ✓
- Gossia fragrantissima** E
- Lepiderima pulchella** ✓
- Macadamia tetraphylla** ✓
- Pararistolochia praevenosa** - **Birdwing**
- Butterfly Vine**
- Syzygium crebrinerve** ✓
- Syzygium francisii** ✓
- Syzygium hodgkinsoniae** ✓
- Syzygium leuhmannii** ✓
- Syzygium moorei** ✓
- Toona ciliata** ✓



34 before

117 after

**344% increase in
diversity**

It is quite unheard of to be able to deliver so many endangered species to a project in Australia in a single day! We're incredibly proud of the work the Australian team do for FAME.

326 ROSEBANK RD

1ST OF 3 DAYS 19TH NOVEMBER

1580 trees planted on day one, 139 species used over three days.

The property supports four distinct rainforest remnants, with the fourth and oldest (Zone 4) representing the highest ecological value:

a mature stand of complex subtropical/lowland rainforest containing flagship species such as

- 1.Hoop Pine (*Araucaria cunninghamii*), Red Cedar (*Toona ciliata*),
- 2.Yellow Karabeen (*Sloanea woollsii*),
- 3.White Booyong (*Argyrodendron trifoliolatum*)
- 4.Black Bean (*Castanospermum australe*), Peanut Tree (*Sterculia quadrifida*)
- 5.Bleeding Heart (*Homalanthus populifolius*)/Hicksbeachia *pinnatifolia*
- 6.Red Kamala (*Mallotus philippensis*)
- 7.Black Apple (*Planchonella australis*)
- 8.Deciduous Fig
- 9.several strangler figs
- 10.Guioa
- 11.Snow-wood
- 12.Pepperberry
- 13.Bolwarra
- 14.Cudgerie
- 15.Foam Bark
- 16.Red Ash
- 17.and a dense Bangalow Palm understory along the ephemeral creek line.

This remnant retains high structural and floristic integrity, with large-diameter veterans, a closed canopy, and a diverse native understory that includes Cunjevoi, Cordyline, and Banana Bush.

Despite its quality, the remnant is isolated by a broad, sunny, weed-infested gap dominated by Blue Goat Weed (*Ageratum houstonianum*), Oxalis, and scattered Camphor Laurel trees, separating it from a prominent old Deciduous Fig that could serve as a critical stepping-stone for fauna movement and seed dispersal.

The other three zones are younger regrowth or highly degraded edges but still contain scattered mature rainforest trees and are similarly affected by a low-to-moderate weed load (Lantana, Camphor, Madeira Vine, Tobacco Bush, Devil's Fig, Small-leaf Privet, and others). Weed pressure across the entire property is surprisingly manageable and largely confined to canopy gaps and edges. Several steep, erodible drainage lines feed directly into the on-property dam and are currently destabilised by camphor and lantana thickets; rapid canopy removal followed by immediate dense replanting is required along these waterways to prevent further gullying and sediment input.



Nestled amongst existing forest, this enrichment zone will spread rapidly.





326 ROSEBANK RD 2ND OF 3 DAYS 12TH DECEMBER

THREATENED SPECIES PLANTED

- Acacia bakeri** V
- Archidendron hendersonii** V
- Davidsonia jerseyana** E
- Gossia fragrantissima** E
- Niemeyera whitei** V
- Floydia praelta** V
- Syzygium hodgkinsoniae** V
- Syzygium moorei** V

1793 trees planted on day two.

This site was selected as a priority for assisted regeneration and enrichment planting, given the high conservation significance of Zone 4:

the presence of multiple threatened-species habitat trees (notably Red cedar), the relatively low weed biomass, the strategic opportunity to reconnect the old remnant to the large Deciduous fig by closing a single weed-dominated corridor, and the urgent need to stabilise the dam-feeding gullies,



With only one day of professional weed control required across all zones and the potential to plant so many advanced rainforest trees in a single community planting event (plus follow-up work as further camphors are removed), the property offers an outstanding combination of existing ecological value, rapid response potential, and high return on conservation investment.





326 ROSEBANK RD **3RD OF 3 DAYS 18TH DECEMBER**

1642 trees planted on day three. Total of 139 species across three days. What started as a small site a few years ago, is now becoming one of our greatest to show to donors. We would love to tour FAME here.



The most ideal place for enrichment, a strong valley of native trees nestled between macadamia plantations. As these age, many of our stable landholders allow us to replace parts of those too, for a more balanced total landscape use.

Plant expert Pierre is usually preparing, collecting or nursing the enrichment species. He rarely has the time to help field teams, we were so lucky he makes it to enrichment to see them reach home!

ENDANGERED SPECIES PROFILES

Acacia bakeri



Archidendron hendersonii



Cupaniopsis newmanii



Cupaniopsis parviflora



Davidsonia jerseyana



Diploglottis campbellii



Flindersia bennettiana



Floydia praealta



Gossia fragrantissima



Hicksbeachia pinnatifolia



Lepiderema pulchella



Macadamia tetraphylla



Niemeyera whitei



Pararistolochia praevenosa



Syzygium crebrinerve



Syzygium francisii



ENDANGERED SPECIES PROFILES

*Syzygium
hodgkinsoniae*



*Syzygium
leuhmannii*



Syzygium moorei



Toona ciliata



*Rhodamnia
rubescens*



Toona ciliata



This project is reaching alot of people, a web of sites with a whopping 22 endangered species are being used within it. We are very proud to bring you that additional outcome.

Acacia bakeri, Archidendron hendersonii, Cupaniopsis newmanii, Cupaniopsis parviflora, Davidsonia jerseyana, Diploglottis campbelli Flindersia bennettiana, Floydia praelta, Gossia fragrantissima, Hicksbeachia pinnatifolia, Lepiderema pulchella, Macadamia tetraphylla, Niemeyera whitei, Pararistolochia praevenosa, Syzgium francisii, Syzgium hodgkinsoniae, Syzgium leuhmannii, Syzygium crebrinerve, Syzygium hodgkinsoniae, Syzygium moorei, Toona ciliata.

Rhodenmia rubescens should be considered the 22nd endangered plant supported by FAME for this year, as two specimens of the rare plant are under care of enrichment.

GALLERY



GALLERY



FINAL WORDS

The second year was even smoother, as could be expected with the steady planning involved. We hope this program inspires many other organisations and individuals to follow suit in caring more deeply for ecosystems and their endangered creatures.

The basic construction of ecosystem pioneers or simple elements is highly dominant in our Australian conservation landscape and the influence of our enrichment program is sorely needed in all corners of the country.

Some years into this project we could begin to extract diversity data and show people why the enrichment should be emulated elsewhere. When the time comes we are sure to see incredible reports from these sites and specialists will be recruited to capture the data on the ecological restructuring, return of wildlife and so on.

For updates or questions about the project,
please email info@reforestnow.org.au.

Yours sincerely,



Maximo Bottaro - CEO

ReForest Now

Growing Rainforest Together



APPENDIX 1

85 SPECIES

1101 THE POCKET

JUNE 25TH, 2025

We planted **X species** at Banyula in Clunes. Threatened species are marked according to their status. **E**= Endangered; **V**= Vulnerable.

<i>Abrophyllum ornans</i>	Native Hydrangea	<i>Callicoma serratifolia</i>	Black Wattle
<i>Acacia bakeri</i>	Marblewood	<i>Castanospora alphandii</i>	Brown Tamarind
<i>Acronychia oblongifolia</i>	Common Acronychia	<i>Cinnamomum oliveri</i>	Oliver's Sassafras
<i>Akania bidwillii</i>	Turnipwood	<i>Citrus australasica</i>	Finger Lime
<i>Alchornea ilicifolia</i>	Native Holly	<i>Cryptocarya laevigata</i>	Glossy Laurel
<i>Alyxia ruscifolia</i>	Prickly Alyxia	<i>Cryptocarya obovata</i>	Pepperberry
<i>Araucaria cunninghamii</i>	Hoop Pine	<i>Cryptocarya triplinervis</i> var. <i>pubens</i>	Hairy Three-veined laurel
<i>Archidendron hendersonii</i>	White Laceflower	<i>Cryptocarya triplinervis</i> var. <i>triplinervis</i>	Coastal Three-veined Laurel
<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	<i>Cupaniopsis parvifolia</i>	Small-leaved Tuckeroo
<i>Argyrodendron trifoliolatum</i>	White Booyong	<i>Davidsonia jerseyana</i>	Davidson's Plum
<i>Arytera distylis</i>	Twin-leaved Coogera	<i>Diospyros australis</i>	Black Plum
<i>Auranticarpa rhombifolia</i>	Hollywood	<i>Diploglottis australis</i>	Native Tamarind
<i>Backhousia myrtifolia</i>	Cinnamon Myrtle	<i>Diploglottis campbellii</i>	Small-leaved Tamarind
<i>Baloghia inophylla</i>	Brush Bloodwood	<i>Dysoxylum fraserianum</i>	Rosewood
<i>Brachychiton acerifolius</i>	Flame Tree	<i>Dysoxylum mollissimum</i>	Red Bean
<i>Callicarpa pedunculata</i>	Velvet Leaf	<i>Dysoxylum rufum</i>	Hairy Rosewood

APPENDIX 1 CONT



<i>Ehretia acuminata</i> var. <i>acuminata</i>	Koda	<i>Macadamia tetraphylla</i>	Macadamia Nut
<i>Elaeodendron australe</i> var. <i>australe</i>	Red Olive Plum	<i>Mallotus discolor</i>	Yellow Kamala
<i>Endiandra pubens</i>	Hairy Walnut	<i>Mischocarpus pyriformis</i>	Yellow Pear-fruit
<i>Eupomatia bennettii</i>	Small Bolwarra	<i>Myrsine variabilis</i>	Muttonwood
<i>Eupomatia laurina</i>	Bolwarra	<i>Neisosperma poweri</i>	Milkbush
<i>Ficus henneana</i>	Deciduous Fig	<i>Orites excelsa</i>	Prickly Ash
<i>Ficus virens</i>	White Fig	<i>Pararistolochia praevenosa</i>	Birdwing Butterfly Vine
<i>Ficus watkinsiana</i>	Strangler Fig	<i>Pennantia cunninghamii</i>	Brown Beech
<i>Flindersia australis</i>	Teak	<i>Pilidiostigma glabrum</i>	Plum Myrtle
<i>Gmelina leichhardtii</i>	White Beech	<i>Pittosporum multiflorum</i>	Orange Thorn
<i>Harpullia pendula</i>	Tulipwood	<i>Pittosporum revolutum</i>	Hairy Pittosporum
<i>Karrabina benthamiana</i>	Red Carabeen	<i>Planchonella australis</i>	Black Apple
<i>Lenwebbia prominens</i>	Velvet Myrtle	<i>Podocarpus elatus</i>	Plum Pine
<i>Linospadix monostachyos</i>	Walking Stick Palm	<i>Polyosma cunninghamii</i>	Featherwood
<i>Litsea australis</i>	Brown Bolly Gum	<i>Psychotria daphnoides</i>	Smooth Psychotria
<i>Livistona australis</i>	Cabbage Tree - Palm	<i>Psychotria loniceroides</i>	Hairy Psychotria

APPENDIX 1 CONT

<i>Psychotria simmondsiana</i>	Small Psychotria	<i>Syzygium smithii</i>	Common Lilly Pilly
<i>Quintina verdonii</i>	Grey Possumwood	<i>Tabernaemontana pandacaqui</i>	Banana Bush
<i>Rhodosphaera rhodanthema</i>	Deep Yellowwood	<i>Toechima dasyrrhache</i>	Blunt-leaved Steelwood
<i>Senna acclinis</i>	Senna	<i>Vitex lignum-vitae</i>	Vitex
<i>Sloanea woollsii</i>	Yellow Carabeen		
<i>Stenocarpus sinuatus</i>	Firewheel Tree		
<i>Streblus brunonianus</i>	Whalebone Tree		
<i>Syncarpia glomulifera</i>	Turpentine		
<i>Synoum glandulosum</i>	Scentless Rosewood		
<i>Syzygium corynanthum</i>	Sour Cherry		
<i>Syzygium crebrinerve</i>	Purple Cherry		
<i>Syzygium francisii</i>	Giant Water Gum		
<i>Syzygium hodgkinsoniae</i>	Red Lilly Pilly		
<i>Syzygium ingens</i>	Red Apple		
<i>Syzygium luehmannii</i>	Riberry		
<i>Syzygium moorei</i>	Durobby		



APPENDIX 2

88 SPECIES

446 OLD BYRON BAY RD

JUNE 27TH, 2025

We planted **X species** at Banyula in Clunes. Threatened species are marked according to their status. **E**= Endangered; **V**= Vulnerable.

<i>Abrophyllum ornans</i>	Native Hydrangea	<i>Callicarpa pedunculata</i>	Velvet Leaf
<i>Acacia bakeri</i>	Marblewood	<i>Callicoma serratifolia</i>	Black Wattle
<i>Acronychia oblongifolia</i>	Common Acronychia	<i>Castanospermum australe</i>	Black Bean
<i>Alchornea ilicifolia</i>	Native Holly	<i>Castanospora alphandii</i>	Brown Tamarind
<i>Alocasia brisbanensis</i>	Cunjevoi Lily	<i>Cinnamomum oliveri</i>	Oliver's Sassafras
<i>Alpinia caerulea</i>	Native Ginger	<i>Citrus australasica</i>	Finger Lime
<i>Alyxia ruscifolia</i>	Prickly Alyxia	<i>Cordyline petiolaris</i>	Broad-leaved Palm Lily
<i>Archidendron hendersonii</i>	White Laceflower	<i>Crinum pedunculatum</i>	Beach Lily
<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	<i>Cryptocarya laevigata</i>	Glossy Laurel
<i>Argyrodendron trifoliolatum</i>	White Booyong	<i>Cryptocarya obovata</i>	Pepperberry
<i>Arytera distylis</i>	Twin-leaved Coogera	<i>Cupaniopsis newmanii</i>	Long-leaved Tuckeroo
<i>Arytera divaricata</i>	Coogera	<i>Cupaniopsis parvifolia</i>	Small-leaved Tuckeroo
<i>Austrocallerya megasperma</i>	Native Wisteria	<i>Davidsonia jerseyana</i>	Davidson's Plum
<i>Austromyrtus dulcis</i>	Midgen Berry	<i>Dianella caerulea</i>	Blue Flax Lily
<i>Baloghia inophylla</i>	Brush Bloodwood	<i>Diospyros australis</i>	Black Plum
<i>Brachychiton acerifolius</i>	Flame Tree	<i>Diploglottis australis</i>	Native Tamarind

APPENDIX 2 CONT


We planted **X species** at Banyula in Clunes. Threatened species are marked according to their status. **E**= Endangered; **V**= Vulnerable.

<i>Diploglottis campbellii</i>	Small-leaved Tamarind	<i>Gossia fragrantissima</i>	Fragrant Myrtle
<i>Dysoxylum mollissimum</i>	Red Bean	<i>Harpullia pendula</i>	Tulipwood
<i>Dysoxylum rufum</i>	Hairy Rosewood	<i>Karrabina benthamiana</i>	Red Carabeen
<i>Ehretia acuminata</i> var. <i>acuminata</i>	Koda	<i>Linospadix monostachyos</i>	Walking Stick Palm
<i>Elaeodendron australe</i> var. <i>australe</i>	Red Olive Plum	<i>Litsea australis</i>	Brown Bolly Gum
<i>Endiandra globosa</i>	Black Walnut	<i>Livistona australis</i>	Cabbage Tree Palm
<i>Endiandra pubens</i>	Hairy Walnut	<i>Lophostemon confertus</i>	Brush Box
<i>Eupomatia laurina</i>	Bolwarra	<i>Macadamia tetraphylla</i>	Macadamia Nut
<i>Euroschinus falcatus</i>	Ribbonwood	<i>Mallotus discolor</i>	Yellow Kamala
<i>Ficus coronata</i>	Creek Sandpaper Fig	<i>Melia azedarach</i> var. <i>australasica</i>	White Cedar
<i>Ficus fraseri</i>	Sandpaper Fig	<i>Melicope elleryana</i>	Pink Euodia
<i>Ficus watkinsiana</i>	Strangler Fig	<i>Mischocarpus pyriformis</i>	Yellow Pear-fruit
<i>Flindersia australis</i>	Teak	<i>Myrsine variabilis</i>	Muttonwood
<i>Flindersia bennettiana</i>	Bennetts Ash	<i>Neisosperma poweri</i>	Milkbush
<i>Flindersia schottiana</i>	Cudgerie	<i>Neolitsea dealbata</i>	Hairy-leaved Bolly Gum
<i>Gmelina leichhardtii</i>	White Beech	<i>Pararchidendron pruinosum</i>	Snow wood

APPENDIX 2 CONT

We planted **X species** at Banyula in Clunes. Threatened species are marked according to their status. **E**= Endangered; **V**= Vulnerable.

<i>Pararistolochia praevenosa</i>	Birdwing Butterfly Vine	<i>Syzygium crebrinerve</i>	Purple Cherry
<i>Pennantia cunninghamii</i>	Brown Beech	<i>Syzygium francisii</i>	Giant Water Gum
<i>Ptiliostigma glabrum</i>	Plum Myrtle	<i>Syzygium luehmannii</i>	Riberry
<i>Pittosporum multiflorum</i>	Orange Thorn	<i>Syzygium moorei</i>	Durobby
<i>Podocarpus elatus</i>	Plum Pine	<i>Syzygium oleosum</i>	Blue Lilly Pilly
<i>Polyosma cunninghamii</i>	Featherwood	<i>Tabernaemontana pandacaqui</i>	Banana Bush
<i>Polyscias elegans</i>	Celerywood	<i>Toechima dasyrrhache</i>	Blunt-leaved Steelwood
<i>Polyscias murrayi</i>	Pencil Cedar	<i>Toona ciliata</i>	Red Cedar
<i>Sarcopteryx stipata</i>	Steelwood	<i>Syzygium crebrinerve</i>	Purple Cherry
<i>Senna acclinis</i>	Senna		
<i>Sloanea australis</i>	Maiden's Blush		
<i>Stenocarpus sinuatus</i>	Firewheel Tree		
<i>Sterculia quadrifida</i>	Peanut Tree		
<i>Synoum glandulosum</i>	Scentless Rosewood		
<i>Syzygium australe</i>	Brush Cherry		
<i>Syzygium corynanthum</i>	Sour Cherry		



APPENDIX 3

88 SPECIES

11 CRABBES CREEK RD

JULY 4TH, 2025

We planted **X species** at Banyula in Clunes. Threatened species are marked according to their status. **E**= Endangered; **V**= Vulnerable.

<i>Abrophyllum ornans</i>	Native Hydrangea	<i>Cordyline petiolaris</i>	Broad-leaved Palm Lily
<i>Acacia bakeri</i>	Marblewood	<i>Cordyline stricta</i>	Narrow-leaved Palm Lily
<i>Acronychia oblongifolia</i>	Common Acronychia	<i>Crinum pedunculatum</i>	Beach Lily
<i>Alocasia brisbanensis</i>	Cunjevoi Lily	<i>Cryptocarya laevigata</i>	Glossy Laurel
<i>Alpinia caerulea</i>	Native Ginger	<i>Cryptocarya obovata</i>	Pepperberry
<i>Araucaria cunninghamii</i>	Hoop Pine	<i>Cryptocarya triplinervis</i> var. <i>pubens</i>	Hairy Three-veined laurel
<i>Archidendron hendersonii</i>	White Laceflower	<i>Dianella caerulea</i>	Blue Flax Lily
<i>Argyrodendron trifoliolatum</i>	White Booyong	<i>Diploglottis campbellii</i>	Small-leaved Tamarind
<i>Arytera divaricata</i>	Coogera	<i>Dysoxylum fraserianum</i>	Rosewood
<i>Auranticarpa rhombifolia</i>	Hollywood	<i>Dysoxylum mollissimum</i>	Red Bean
<i>Austromyrtus dulcis</i>	Midgen Berry	<i>Dysoxylum rufum</i>	Hairy Rosewood
<i>Brachychiton acerifolius</i>	Flame Tree	<i>Ehretia acuminata</i> var. <i>acuminata</i>	Koda
<i>Callicoma serratifolia</i>	Black Wattle	<i>Elaeocarpus grandis</i>	Blue Quandong
<i>Castanospermum australe</i>	Black Bean	<i>Elaeodendron australe</i> var. <i>australe</i>	Red Olive Plum
<i>Castanopora alphandii</i>	Brown Tamarind	<i>Endiandra pubens</i>	Hairy Walnut
<i>Citrus australasica</i>	Finger Lime	<i>Eupomatia laurina</i>	Bolwarra

APPENDIX 3 CONT



<i>Euroschinus falcatus</i>	Ribbonwood	<i>Livistona australis</i>	Cabbage Tree Palm
<i>Ficus coronata</i>	Creek Sandpaper Fig	<i>Lomandra hystrix</i>	Forest Mat-rush
<i>Ficus fraseri</i>	Sandpaper Fig	<i>Lomandra longifolia</i>	Spiny head Mat-rush
<i>Ficus watkinsiana</i>	Strangler Fig	<i>Macadamia tetraphylla</i>	Macadamia Nut
<i>Flindersia australis</i>	Teak	<i>Mallotus discolor</i>	Yellow Kamala
<i>Flindersia bennettiana</i>	Bennetts Ash	<i>Melia azedarach var. australasica</i>	White Cedar
<i>Flindersia schottiana</i>	Cudgerie	<i>Mischocarpus pyriformis</i>	Yellow Pear-fruit
<i>Flindersia xanthoxyla</i>	Yellowwood	<i>Myrsine variabilis</i>	Muttonwood
<i>Gmelina leichhardtii</i>	White Beech	<i>Neolitsea dealbata</i>	Hairy-leaved Bolly Gum
<i>Grevillea robusta</i>	Silky Oak	<i>Pararchidendron pruinosum</i>	Snow wood
<i>Harpullia pendula</i>	Tulipwood	<i>Pararistolochia praevenosa</i>	Birdwing Butterfly Vine
<i>Hicksbeachia pinnatifolia</i>	Red Bopple Nut	<i>Pennantia cunninghamii</i>	Brown Beech
<i>Hovea acutifolia</i>	Purple Pea	<i>Pilidiostigma glabrum</i>	Plum Myrtle
<i>Karrabina benthamiana</i>	Red Carabeen	<i>Pittosporum revolutum</i>	Hairy Pittosporum
<i>Lepiderema pulchella</i>	Fine-leaved Tuckeroo	<i>Podocarpus elatus</i>	Plum Pine
<i>Litsea australis</i>	Brown Bolly Gum -	<i>Polyosma cunninghamii</i>	Featherwood

APPENDIX 3 CONT

<i>Polyscias elegans</i>	Celerywood	<i>Syzygium ingens</i>	Red Apple
<i>Polyscias murrayi</i>	Pencil Cedar	<i>Syzygium luehmannii</i>	Riberry
<i>Psychotria loniceroides</i>	Hairy Psychotria	<i>Syzygium moorei</i>	Durobby
<i>Psychotria simmondsiana</i>	Small Psychotria	<i>Syzygium smithii</i>	Common Lilly Pilly
<i>Quintina verdonii</i>	Grey Possumwood	<i>Tabernaemontana pandacaqui</i>	Banana Bush
<i>Rhodosphaera rhodanthema</i>	Deep Yellowwood	<i>Toechima dasyrrhache</i>	Blunt-leaved Steelwood
<i>Senna acclinis</i>	Senna	<i>Toona ciliata</i>	Red Cedar
<i>Sloanea australis</i>	Maiden's Blush	<i>Wilkiea macrophylla</i>	Large-leaved Wilkiea
<i>Sloanea woollsii</i>	Yellow Carabeen		
<i>Stenocarpus sinuatus</i>	Firewheel Tree		
<i>Sterculia quadrifida</i>	Peanut Tree		
<i>Syncarpia glomulifera</i>	Turpentine		
<i>Synoum glandulosum</i>	Scentless Rosewood		
<i>Syzygium crebrinerve</i>	Purple Cherry		
<i>Syzygium francisii</i>	Giant Water Gum		
<i>Syzygium hodgkinsoniae</i>	Red Lilly Pilly		

APPENDIX 4 81 SPECIES


113 STEWARTS RD CLUNES JULY 11TH, 2025

We planted **X species** at Banyula in Clunes. Threatened species are marked according to their status. **E**= Endangered; **V**= Vulnerable.


<i>Abrophyllum ornans</i>	Native Hydrangea	<i>Castanospora alphandii</i>	Brown Tamarind
<i>Acacia bakeri</i>	Marblewood	<i>Citrus australasica</i>	Finger Lime
<i>Acronychia oblongifolia</i>	Common Acronychia	<i>Cordyline congesta</i>	Coast Palm Lily
<i>Acronychia pubescens</i>	Hairy Acronychia	<i>Cordyline petiolaris</i>	Broad-leaved Palm Lily
<i>Alocasia brisbanensis</i>	Cunjevoi Lily	<i>Cordyline stricta</i>	Narrow-leaved Palm Lily
<i>Alpinia caerulea</i>	Native Ginger	<i>Cryptocarya obovata</i>	Pepperberry
<i>Aphananthe philippinensis</i>	Rough-leaved Elm	<i>Cryptocarya triplinervis</i> var. <i>pubens</i>	Hairy Three-veined laurel
<i>Araucaria cunninghamii</i>	Hoop Pine	<i>Cupaniopsis parvifolia</i>	Small-leaved Tuckeroo
<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	<i>Davidsonia jerseyana</i>	Davidson's Plum
<i>Argyrodendron actinophyllum</i>	Black Booyong	<i>Dendrocnide photinophylla</i>	Shiny-leaved Stinging Tree
<i>Argyrodendron trifoliolatum</i>	White Booyong	<i>Dianella caerulea</i>	Blue Flax Lily
<i>Atractocarpus chartaceus</i>	Narrow-leaved Gardenia	<i>Diospyros australis</i>	Black Plum
<i>Auranticarpa rhombifolia</i>	Hollywood	<i>Diploglottis australis</i>	Native Tamarind
<i>Brachychiton acerifolius</i>	Flame Tree	<i>Diploglottis campbellii</i>	Small-leaved Tamarind
<i>Callicoma serratifolia</i>	Black Wattle	<i>Dysoxylum fraserianum</i>	Rosewood
<i>Castanospermum australe</i>	Black Bean	<i>Dysoxylum mollissimum</i>	Red Bean

APPENDIX 4 CONT

<i>Dysoxylum rufum</i>	Hairy Rosewood	<i>Harpullia pendula</i>	Tulipwood
<i>Elaeocarpus grandis</i>	Blue Quandong	<i>Karrabina benthamiana</i>	Red Carabeen
<i>Elaeocarpus obovatus</i>	Hard Quandong	<i>Lenwebbia prominens</i>	Velvet Myrtle
<i>Endiandra pubens</i>	Hairy Walnut	<i>Litsea australis</i>	Brown Bolly Gum
<i>Eupomatia laurina</i>	Bolwarra	<i>Livistona australis</i>	Cabbage Tree Palm
<i>Ficus coronata</i>	Creek Sandpaper Fig	<i>Lomandra hystrix</i>	Forest Mat-rush
<i>Ficus macrophylla</i>	Moreton Bay Fig	<i>Lophostemon confertus</i>	Brush Box
<i>Ficus superba</i> var. <i>henneana</i>	Deciduous Fig	<i>Melia azedarach</i> var. <i>australasica</i>	White Cedar
<i>Ficus virens</i>	White Fig	<i>Mischocarpus pyriformis</i>	Yellow Pear-fruit
<i>Ficus watkinsiana</i>	Strangler Fig	<i>Myrsine variabilis</i>	Muttonwood
<i>Flindersia australis</i>	Teak	<i>Neisosperma poweri</i>	Milkbush
<i>Flindersia bennettiana</i>	Bennetts Ash	<i>Neolitsea dealbata</i>	Hairy-leaved Bolly Gum
<i>Flindersia schottiana</i>	Cudgerie	<i>Orites excelsa</i>	Prickly Ash
<i>Flindersia xanthoxyla</i>	Yellowwood	<i>Pararchidendron pruinosum</i>	Snow wood
<i>Glochidion ferdinandi</i>	Cheese Tree	<i>Pennantia cunninghamii</i>	Brown Beech
<i>Gmelina leichhardtii</i>	White Beech	<i>Pittosporum revolutum</i>	Hairy Pittosporum



APPENDIX 4 CONT



<i>Podocarpus elatus</i>	Plum Pine	<i>Tristaniopsis laurina</i>	Water Gum
<i>Polyscias elegans</i>	Celerywood		
<i>Polyscias murrayi</i>	Pencil Cedar		
<i>Psychotria loniceroides</i>	Hairy Psychotria		
<i>Rhodosphaera rhodanthema</i>	Deep Yellowwood		
<i>Sloanea australis</i>	Maiden's Blush		
<i>Stenocarpus sinuatus</i>	Firewheel Tree		
<i>Synoum glandulosum</i>	Scentless Rosewood		
<i>Syzygium crebrinerve</i>	Purple Cherry		
<i>Syzygium hodgkinsoniae</i>	Red Lilly Pilly		
<i>Syzygium ingens</i>	Red Apple		
<i>Syzygium luehmannii</i>	Riberry		
<i>Syzygium moorei</i>	Durobby		
<i>Syzygium smithii</i>	Common Lilly Pilly		
<i>Tabernaemontana pandacaqui</i>	Banana Bush		
<i>Toona ciliata</i>	Red Cedar		

APPENDIX 5

71 SPECIES

268 TYALGUM RD

JULY 18TH, 2025

We planted **X species** at Banyula in Clunes. Threatened species are marked according to their status. **E**= Endangered; **V**= Vulnerable.

<i>Abrophyllum ornans</i>	Native Hydrangea	<i>Cryptocarya obovata</i>	Pepperberry
<i>Alchornea ilicifolia</i>	Native Holly	<i>Cryptocarya triplinervis</i> var. <i>pubens</i>	Hairy Three-veined laurel
<i>Alphitonia petriei</i>	Pink Ash	<i>Davidsonia jerseyana</i>	Davidson's Plum
<i>Araucaria cunninghamii</i>	Hoop Pine	<i>Diospyros australis</i>	Black Plum
<i>Argyrodendron trifoliolatum</i>	White Booyong	<i>Diploglottis australis</i>	Native Tamarind
<i>Atractocarpus chartaceus</i>	Narrow-leaved Gardenia	<i>Diploglottis campbellii</i>	Small-leaved Tamarind
<i>Auranticarpa rhombifolia</i>	Hollywood	<i>Duboisia myoporoides</i>	Corkwood
<i>Brachychiton acerifolius</i>	Flame Tree	<i>Dysoxylum mollissimum</i>	Red Bean
<i>Callicarpa pedunculata</i>	Velvet Leaf	<i>Dysoxylum rufum</i>	Hairy Rosewood
<i>Callicoma serratifolia</i>	Black Wattle	<i>Elaeocarpus grandis</i>	Blue Quandong
<i>Castanospermum australe</i>	Black Bean	<i>Elaeocarpus obovatus</i>	Hard Quandong
<i>Castanospora alphandii</i>	Brown Tamarind	<i>Endiandra globosa</i>	Black Walnut
<i>Citrus australasica</i>	Finger Lime	<i>Endiandra pubens</i>	Hairy Walnut
<i>Commersonia bartramia</i>	Brown Kurrajong	<i>Eupomatia laurina</i>	Bolwarra
<i>Cordyline petiolaris</i>	Broad-leaved Palm Lily	<i>Euroschinus falcatus</i>	Ribbonwood
<i>Cordyline stricta</i>	Narrow-leaved Palm Lily	<i>Ficus coronata</i>	Creek Sandpaper Fig

APPENDIX 5 CONT

<i>Ficus fraseri</i>	Sandpaper Fig	<i>Myrsine variabilis</i>	Muttonwood
<i>Ficus macrophylla</i>	Moreton Bay Fig	<i>Neolitsea dealbata</i>	Hairy-leaved Bolly Gum
<i>Ficus virens</i>	White Fig	<i>Pararchidendron pruinatum</i>	Snow wood
<i>Flindersia australis</i>	Teak	<i>Pararistolochia praevenosa</i>	Birdwing Butterfly Vine
<i>Flindersia bennettiana</i>	Bennetts Ash	<i>Pennantia cunninghamii</i>	Brown Beech
<i>Flindersia schottiana</i>	Cudgerie	<i>Pilidiostigma glabrum</i>	Plum Myrtle
<i>Flindersia xanthoxyla</i>	Yellowwood	<i>Pipturus argenteus</i>	Native Mulberry
<i>Harpullia pendula</i>	Tulipwood	<i>Pittosporum revolutum</i>	Hairy Pittosporum
<i>Homalanthus nutans</i>	Mamala Tree	<i>Podocarpus elatus</i>	Plum Pine
<i>Hymenosporum flavum</i>	Native Frangipani	<i>Polyosma cunninghamii</i>	Featherwood
<i>Karrabina benthamiana</i>	Red Carabeen	<i>Polyscias elegans</i>	Celerywood
<i>Lepiderema pulchella</i>	Fine-leaved Tuckeroo	<i>Polyscias murrayi</i>	Pencil Cedar
<i>Lophostemon confertus</i>	Brush Box	<i>Psychotria loniceroides</i>	Hairy Psychotria
<i>Mallotus discolor</i>	Yellow Kamala	<i>Rhodosphaera rhodanthema</i>	Deep Yellowwood
<i>Melia azedarach var. australasica</i>	White Cedar	<i>Sloanea australis</i>	Maiden's Blush
<i>Mischocarpus pyriformis</i>	Yellow Pear-fruit	<i>Sterculia quadrifida</i>	Peanut Tree



APPENDIX 5 CONT

<i>Syzygium corynanthum</i>	Sour Cherry
<i>Syzygium crebrinerve</i>	Purple Cherry
<i>Syzygium francisii</i>	Giant Water Gum
<i>Syzygium ingens</i>	Red Apple
<i>Syzygium luehmannii</i>	Riberry
<i>Syzygium moorei</i>	Durobby



APPENDIX 6

117 SPECIES

60 BLACK BEAN RD


OCT 30, 2025

We planted **X species** at Banyula in Clunes. Threatened species are marked according to their status. **E**= Endangered; **V**= Vulnerable.

<i>Abrophyllum ornans</i>	Native Hydrangea	<i>Baloghia inophylla</i>	Brush Bloodwood
<i>Acacia bakeri</i>	Marblewood	<i>Brachychiton acerifolius</i>	Flame Tree
<i>Acronychia oblongifolia</i>	Common Acronychia	<i>Callicarpa pedunculata</i>	Velvet Leaf
<i>Acronychia pubescens</i>	Hairy Acronychia	<i>Callicoma serratifolia</i>	Black Wattle
<i>Akania bidwillii</i>	Turnipwood	<i>Castanospermum australe</i>	Black Bean
<i>Alchornea ilicifolia</i>	Native Holly	<i>Castanospora alphandii</i>	Brown Tamarind
<i>Alphitonia petriei</i>	Pink Ash	<i>Cinnamomum oliveri</i>	Oliver's Sassafras
<i>Alpinia caerulea</i>	Native Ginger	<i>Citrus australasica</i>	Finger Lime
<i>Alyxia rusCIFolia</i>	Prickly Alyxia	<i>Commersonia bartramia</i>	Brown Kurrajong
<i>Aphananthe philippinensis</i>	Rough-leaved Elm	<i>Cordyline petiolaris</i>	Broad-leaved Palm Lily
<i>Araucaria cunninghamii</i>	Hoop Pine	<i>Crinum pedunculatum</i>	Beach Lily
<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	<i>Cryptocarya laevigata</i>	Glossy Laurel
<i>Argyrodendron trifoliolatum</i>	White Booyong	<i>Cryptocarya obovata</i>	Pepperberry
<i>Arytera distylis</i>	Twin-leaved Coogera	<i>Cryptocarya rigida</i>	Forest Maple
<i>Atractocarpus chartaceus</i>	Narrow-leaved Gardenia	<i>Cryptocarya triplinervis</i> var. <i>pubens</i>	Hairy Three- veined laurel
<i>Auranticarpa rhombifolia</i>	Hollywood	<i>Cupaniopsis newmanii</i>	Long-leaved Tuckeroo

APPENDIX 6 CONT

<i>Cupaniopsis parvifolia</i>	Small-leaved Tuckeroo	<i>Endiandra pubens</i>	Hairy Walnut
<i>Davidsonia jerseyana</i>	Davidson's Plum	<i>Eucalyptus robusta</i>	Swamp Mahogany
<i>Dianella caerulea</i>	Blue Flax Lily	<i>Eupomatia laurina</i>	Bolwarra
<i>Diospyros australis</i>	Black Plum	<i>Ficus henneana</i>	Deciduous Fig
<i>Diospyros pentamera</i>	Myrtle Ebony	<i>Ficus virens</i>	White Fig
<i>Diploglottis australis</i>	Native Tamarind	<i>Ficus watkinsiana</i>	Strangler Fig
<i>Diploglottis campbellii</i>	Small-leaved Tamarind	<i>Flindersia australis</i>	Teak
<i>Duboisia myoporoides</i>	Corkwood	<i>Flindersia bennettiana</i>	Bennetts Ash
<i>Dysoxylum fraserianum</i>	Rosewood	<i>Flindersia schottiana</i>	Cudgerie
<i>Dysoxylum mollissimum</i>	Red Bean	<i>Flindersia xanthoxyla</i>	Yellowwood
<i>Dysoxylum rufum</i>	Hairy Rosewood	<i>Glochidion ferdinandi</i>	Cheese Tree
<i>Ehretia acuminata</i> var. <i>acuminata</i>	Koda	<i>Glochidion sumatranum</i>	Umbrella Cheese Tree
<i>Elaeocarpus grandis</i>	Blue Quandong	<i>Gmelina leichhardtii</i>	White Beech
<i>Elaeocarpus obovatus</i>	Hard Quandong	<i>Gossia fragrantissima</i>	Fragrant Myrtle
<i>Elaeodendron australe</i> var. <i>australe</i>	Red Olive Plum	<i>Grevillea robusta</i>	Silky Oak
<i>Endiandra globosa</i>	Black Walnut	<i>Harpullia pendula</i>	Tulipwood



APPENDIX 6 CONT

<i>Hicksbeachia pinnatifolia</i>	Red Bopple Nut	<i>Pararistolochia praevenosa</i>	Birdwing Butterfly Vine
<i>Hovea acutifolia</i>	Purple Pea	<i>Pilidiostigma glabrum</i>	Plum Myrtle
<i>Karrabina benthamiana</i>	Red Carabeen	<i>Pipturus argenteus</i>	Native Mulberry
<i>Lenwebbia prominens</i>	Velvet Myrtle	<i>Pittosporum multiflorum</i>	Orange Thorn
<i>Linospadix monostachyos</i>	Walking Stick Palm	<i>Pittosporum revolutum</i>	Hairy Pittosporum
<i>Litsea australis</i>	Brown Bolly Gum	<i>Planchonella australis</i>	Black Apple
<i>Lomandra hystrix</i>	Forest Mat-rush	<i>Podocarpus elatus</i>	Plum Pine
<i>Lophostemon confertus</i>	Brush Box	<i>Polyosma cunninghamii</i>	Featherwood
<i>Macadamia tetraphylla</i>	Macadamia Nut	<i>Polyscias elegans</i>	Celerywood
<i>Macaranga tanarius</i>	Macaranga	<i>Polyscias murrayi</i>	Pencil Cedar
<i>Mallotus discolor</i>	Yellow Kamala	<i>Psychotria daphnoides</i>	Smooth Psychotria
<i>Melia azedarach var. australasica</i>	White Cedar	<i>Psychotria loniceroides</i>	Hairy Psychotria
<i>Mischocarpus pyriformis</i>	Yellow Pear-fruit	<i>Quintina verdonii</i>	Grey Possumwood
<i>Myrsine variabilis</i>	Muttonwood	<i>Rhodosphaera rhodanthema</i>	Deep Yellowwood
<i>Neolitsea dealbata</i>	Hairy-leaved Bolly Gum	<i>Sarcomelicope simplicifolia</i>	Bauerella
<i>Pararchidendron pruinsum</i>	Snow wood	<i>Sarcopteryx stipata</i>	Steelwood

APPENDIX 6 CONT

<i>Scolopia braunii</i>	Flintwood	<i>Syzygium smithii</i>	Common Lilly Pilly
<i>Senna acclinis</i>	Senna	<i>Tabernaemontana pandacaqui</i>	Banana Bush
<i>Sloanea australis</i>	Maiden's Blush	<i>Toona ciliata</i>	Red Cedar
<i>Sloanea woollsii</i>	Yellow Carabeen	<i>Wilkiea huegeliana</i>	Veiny Wilkiea
<i>Stenocarpus sinuatus</i>	Firewheel Tree	<i>Wilkiea macrophylla</i>	Large-leaved Wilkiea
<i>Sterculia quadrifida</i>	Peanut Tree		
<i>Streblus brunonianus</i>	Whalebone Tree		
<i>Synoum glandulosum</i>	Scentless Rosewood		
<i>Syzygium corynanthum</i>	Sour Cherry		
<i>Syzygium crebrinerve</i>	Purple Cherry		
<i>Syzygium francisii</i>	Giant Water Gum		
<i>Syzygium hodgkinsoniae</i>	Red Lilly Pilly		
<i>Syzygium ingens</i>	Red Apple		
<i>Syzygium luehmannii</i>	Riberry		
<i>Syzygium moorei</i>	Durobby		
<i>Syzygium oleosum</i>	Blue Lilly Pilly		


APPENDIX 7 139 SPECIES

326 ROSEBANK RD NOV 19, DEC 12 AND DEC 18

<i>Abrophyllum ornans</i>	Native Hydrangea	<i>Brachychiton discolor</i>	Lacebark Tree
<i>Acacia bakeri</i>	Marblewood	<i>Castanospora alphandii</i>	Brown Tamarind
<i>Acronychia octandra</i>	Doughwood	<i>Ceratopetalum apetalum</i>	Coachwood
<i>Acronychia pubescens</i>	Hairy Acronychia	<i>Cinnamomum oliveri</i>	Oliver's Sassafras
<i>Alchornea ilicifolia</i>	Native Holly	<i>Citrus australasica</i>	Finger Lime
<i>Alectryon tomentosus</i>	Hairy Bird's Eye	<i>Crinum pedunculatum</i>	Beach Lily
<i>Alpinia caerulea</i>	Native Ginger	<i>Cryptocarya erythroxylon</i>	Pidgeonberry Ash
<i>Alyxia ruscifolia</i>	Prickly Alyxia	<i>Cryptocarya laevigata</i>	Glossy Laurel
<i>Anopterus macleayanus</i>	Macleay Laurel	<i>Cryptocarya obovata</i>	Pepperberry
<i>Archidendron hendersonii</i>	White Laceflower	<i>Cryptocarya rigida</i>	Forest Maple
<i>Argyrodendron actinophyllum</i>	Black Booyong	<i>Cryptocarya triplinervis</i>	Three-veined Laurel
<i>Arytera distylis</i>	Twin-leaved Coogera	<i>Cupaniopsis newmanii</i>	Long-leaved Tuckeroo
<i>Atractocarpus chartaceus</i>	Narrow-leaved Gardenia	<i>Daphnandra apatela</i>	Common Socketwood
<i>Auranticarpa rhombifolia</i>	Hollywood	<i>Davidsonia jerseyana</i>	Davidson's Plum
<i>Austrocallerya megasperma</i>	Native Wisteria	<i>Dendrocnide excelsa</i>	Giant Stinging Tree
<i>Brachychiton acerifolius</i>	Flame Tree	<i>Dianella caerulea</i>	Blue Flax Lily

APPENDIX 7 CONT

		<i>Jagera pseudorhus</i> var. <i>pseudorhus</i>	Foambark Tree
<i>Dysoxylum mollissimum</i>	Red Bean	<i>Karrabina benthamiana</i>	Red Carabeen
<i>Elaeocarpus eumundi</i>	Eumundi Quandong	<i>Leptospermum petersonii</i>	Lemon-scented Teatree
<i>Elaeocarpus obovatus</i>	Hard Quandong	<i>Leptospermum scoparium</i>	Manuka Bush
<i>Elaeocarpus reticulatus</i>	Blueberry Ash	<i>Linospadix monostachyos</i>	Walking Stick Palm
<i>Endiandra globosa</i>	Black Walnut	<i>Litsea australis</i>	Brown Bolly Gum
<i>Endiandra pubens</i>	Hairy Walnut	<i>Livistona australis</i>	Cabbage Tree Palm
<i>Erythrina vespertilio</i>	Bats-wing Coral Tree	<i>Lomandra longifolia</i>	Spiny head Mat-rush
<i>Euroschinus falcatus</i>	Ribbonwood	<i>Lophostemon confertus</i>	Brush Box
<i>Floydia praealta</i>	Ball Nut	<i>Mallotus discolor</i>	Yellow Kamala
<i>Geitonoplesium cymosum</i>	Scrambling Lilly	<i>Melia azedarach</i> var. <i>australasica</i>	White Cedar
<i>Gmelina leichhardtii</i>	White Beech	<i>Micromelum minutum</i>	Lime Berry
<i>Gossia bidwillii</i>	Python Tree	<i>Mischocarpus pyriformis</i>	Yellow Pear-fruit
<i>Gossia fragrantissima</i>	Fragrant Myrtle	<i>Myrsine variabilis</i>	Muttonwood
<i>Grevillea hilliana</i>	White Yiel Yiel	<i>Neolitsea dealbata</i>	Hairy-leaved Bolly Gum
<i>Hicksbeachia pinnatifolia</i>	Red Bopple Nut	<i>Niemeyera whitei</i>	Rusty Plum
<i>Hovea acutifolia</i>	Purple Pea		



APPENDIX 7 CONT

<i>Orites excelsa</i>	Prickly Ash	<i>Stenocarpus sinuatus</i>	Firewheel Tree
<i>Pararchidendron pruinatum</i>	Snow wood	<i>Sterculia quadrifida</i>	Peanut Tree
<i>Pararistolochia praevenosa</i>	Birdwing Butterfly Vine	<i>Streblus brunonianus</i>	Whalebone Tree
<i>Pennantia cunninghamii</i>	Brown Beech	<i>Syzygium corynanthum</i>	Sour Cherry
<i>Petalostigma triloculare</i>	Long-leaved Bitter Bark	<i>Syzygium hodgkinsoniae</i>	Red Lilly Pilly
<i>Pisonia umbellifera</i>	Bird Lime Tree	<i>Syzygium ingens</i>	Red Apple
<i>Pittosporum revolutum</i>	Hairy Pittosporum	<i>Syzygium moorei</i>	Durobby
<i>Podocarpus elatus</i>	Plum Pine	<i>Tabernaemontana pandacaqui</i>	Banana Bush
<i>Polyosma cunninghamii</i>	Featherwood	<i>Tasmannia insipida</i>	Dorrigo pepper
<i>Premna / Vitex lignum-vitae</i>	Lignum-vitae	<i>Toechima dasyrrhache</i>	Blunt-leaved Steelwood
<i>Psychotria loniceroides</i>	Hairy Psychotria	<i>Toona ciliata</i>	Red Cedar
<i>Psychotria simmondsiana</i>	Small Psychotria	<i>Tristaniopsis laurina</i>	Water Gum
<i>Rhodosphaera rhodanthema</i>	Deep Yellowwood	<i>Wilkiea austroqueenslandica</i>	Smooth Wilkiea
<i>Sambucus australasica</i>	Native Elderberry	<i>Acacia melanoxydon</i>	Blackwood
<i>Senna acclinis</i>	Senna –	<i>Acronychia oblongifolia</i>	Common Acronychia
<i>Sloanea woollsii</i>	Yellow Carabeen	<i>Aphananthe philippinensis</i>	Rough-leaved Elm

APPENDIX 7 CONT



<i>Araucaria cunninghamii</i>	Hoop Pine	<i>Eupomatia laurina</i>	Bolwarra
<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	<i>Ficus fraseri</i>	Sandpaper Fig
<i>Argyrodendron trifoliolatum</i>	White Booyong	<i>Glochidion sumatranum</i>	Umbrella Cheese Tree
<i>Callicarpa pedunculata</i>	Velvet Leaf	<i>Homalanthus populifolius</i>	Bleeding Heart
<i>Castanospermum australe</i>	Black Bean	<i>Hymenosporum flavum</i>	Native Frangipani
<i>Cordyline petiolaris</i>	Broad-leaved Palm Lily	<i>Lepiderema pulchella</i>	Fine-leaved Tuckeroo
<i>Cordyline stricta</i>	Narrow-leaved Palm Lily	<i>Leptospermum polygalifolium</i>	Jelly Bush
<i>Cupaniopsis parvifolia</i>	Small-leaved Tuckeroo	<i>Litsea reticulata</i>	Bolly Gum
<i>Dianella longifolia</i>	Blueberry Lily	<i>Macaranga tanarius</i>	Macaranga
<i>Diploglottis australis</i>	Native Tamarind	<i>Melicope elleryana</i>	Pink Euodia
<i>Diploglottis campbellii</i>	Small-leaved Tamarind	<i>Pipturus argenteus</i>	Native Mulberry
<i>Doryanthes palmeri</i>	Giant Spear Lily	<i>Pittosporum multiflorum</i>	Orange Thorn
<i>Doryphora sassafras</i>	Sassafras	<i>Planchonella australis</i>	Black Apple
<i>Drymophila moorei</i>	Orange Berry	<i>Psychotria daphnoides</i>	Smooth Psychotria
<i>Dysoxylum fraserianum</i>	Rosewood	– <i>Sloanea australis</i>	Maiden's Blush
<i>Ehretia acuminata</i> var. <i>acuminata</i>	Koda	<i>Synoum glandulosum</i>	Scentless Rosewood

APPENDIX 7 CONT

<i>Syzygium luehmannii</i>	Riberry
<i>Syzygium oleosum</i>	Blue Lilly Pilly
<i>Trema tomentosa var. aspera</i>	Native Peach
<i>Akania bidwillii</i>	Turnipwood
<i>Alectryon tomentosus</i>	Hairy Alectryon
<i>Cryptocarya triplinervis var. pubens</i>	Hairy Three-veined laurel
<i>Ficus obliqua</i>	Small-leaved Fig
<i>Harpullia pendula</i>	Tulipwood
<i>Jagera pseudorhus</i>	Foam Bark
<i>Macrozamia communis</i>	Burrawang
<i>Tasmania insipida</i>	Brush Pepperbush





THANK YOU!

30 YEARS OF  **FAME**



ReForest Now

Second year of FAME enrichment complete